

Work Order ID 75053

75053

Page 1

October-17-11 10:39:32 AM

Item ID: D3306-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Cover Assembly
Start Date: 17/10/2011 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 28/10/2011 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: M. L. J Date: 11/10/17 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
Run Start ***NR1***
Stop ***NR2***

| Sequence ID/ Work Center ID | Operation Description | Set Up/ Run Hours | Tool ID | Tool # | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
|--------------------------------|--------------------------|----------------------|---------|--------|--------------|---------------|---------------|------------------|----------------|
|--------------------------------|--------------------------|----------------------|---------|--------|--------------|---------------|---------------|------------------|----------------|

| Draw Nbr | Revision Nbr |
|----------|--------------|
| D3306 | Rev B |

100 PURCHASING 0.00
100
Purchasing Memo 0.00
Purchasing Issue P/O: 15179 Manufacture as per Dwg D3306Possible 650
Supplier: Aerotex InteriorsMaterial release note is required

110 Receive & Inspect for Damage & Mat'l Certs 0.00
110
Packaging Memo 0.00
Packaging Ensure Material Release Note is attached

120 QC6- Inspect dimensions to drawing 0.00
120
QC Memo 0.00
Quality Control

Dart Aerospace Ltd

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Work Order ID 75053

October-17-11 10:39:32 AM

75053

Page 2

Item ID: D3306-041 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Cover Assembly
 Start Date: 17/10/2011 Start Qty: 10.00 ***10*** Cust Item ID:
 Required Date: 28/10/2011 Req'd Qty: 10.00 ***10*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

| Sequence ID/ Work Center ID | Operation Description | Set Up/ Run Hours | Tool ID | Tool # | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
|--------------------------------|---|----------------------|---------|--------|--------------|---------------|---------------|------------------|----------------|
| 130 | Identify as per dwg & Stock Location <u>188</u> | 0.00 | | | | | | | |
| *130* | | | | | | | | | |
| Packaging | Memo | 0.00 | | | | | | | |
| Packaging | | | | | | | | | |
| 140 | QC21- Final Inspection - Work Order Release | 0.00 | | | | | | | |
| *140* | | | | | | | | | |
| QC | Memo | 0.00 | | | | | | | |
| Quality Control | | | | | | | | | |

11/11/09
 11-11-09

Dart Aerospace Ltd

| W/O: | | WORK ORDER CHANGES | | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|--|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector | |
| | | | | | | | | |
| | | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries

Picklist Print

Page 1

October-17-11 10:39:37 AM

Work Order ID: 75053

75053

Parent Item: D3306-041

D3306-041

Parent Item Name: Cover Assembly

Start Date: 17/10/2011

Required Date: 28/10/2011

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP: A04.09.07New issue KJ/JLM
IPP Rev:B 08-10-14 revB as per dwg DD verified by:EC

| Component Item ID/ Item Name | Replacement Item ID | Mfg/ Purch | Bin Item | Primary Location | Last Location | Route Seq ID | Unit of Measure | Qty on Hand | Qty per Kit | Total Qty | Qty Issued | Date Issued | Status |
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|--------|
|---------------------------------|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|-------------|--------------|---------------|----------------|--------|

D3306-041P

Purchased

No

100

Each

0.0000

1

10

D3306-041P

**

Cover Assembly

Rec'd 10/10/11 *(10)*

Dart Aerospace Ltd


| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Chief Eng / Prod Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Chief Eng | Approval QC Inspector |
| | | | Initial Chief Eng | Action Description Chief Eng | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

NOTE: Date & initial all entries



D3306-041 COVER ASSEMBLY

NOTES:

- 1) MATERIAL: SEE PAGE 2 AND 3
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.09 lbs
- 8) THREAD: MIL-VT-295 TYPE II CLASS A, GREY NYLON THREAD, 4-6 STITCHES PER INCH
USE 1/2" MIN BACKSTITCH, NO LOOSE THREADS
- 9) POSSIBLE SUPPLIER: AEROTEX INTERIORS INC.


| QTY -041 | PART NUMBER | DESCRIPTION |
|-------------|-------------|----------------|
| X | D3306-041 | COVER ASSEMBLY |
| 1 | D3306-1 | TOP |
| 1 | D3306-3 | BOTTOM |
| 1 | D3306-5 | SIDE |
| 3 | D3306-7 | TAB |
| 1 | D3306-9 | BOTTOM |
| 1 | D3306-11 | BOTTOM |

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 75053


11-10-17

RELEASE
08-10-10


| | | | |
|------------|--|---|--------------|
| B | UPDATE MATERIAL (REV A1) (ZN A6-2, A6-3); BOTTOM IS NOW 3 PIECES (-3/-9/-11) (ZN D3-1); HOOK AND LOOP REVERSED (AS MFG) (ZN B8-3); 0.13 WAS 0.2 (AS MFG) (ZN C6-1); REASON: EASE OF ASSEMBLY OF HEADREST | PH | 08.08.29 |
| A | NEW ISSUE | RF | 04.08.18 |
| REV. | DESCRIPTION | BY | DATE |
| DESIGN | RF | DART AEROSPACE LTD | |
| DRAWN | <i>RF</i> | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | <i>RF</i> | DRAWING NO. | REV. B |
| MFG. APPR. | <i>RF</i> | D3306 | SHEET 1 OF 3 |
| APPROVED | <i>RF</i> | TITLE | SCALE |
| DE APPR. | <i>RF</i> | COVER ASSEMBLY | NTS |
| DATE | 08.08.29 | COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD | |



D3306-1 TOP



D3306-3 BOTTOM



D3306-5 SIDE

D3306-1/-3/-5 NOTES:


- 1) MATERIAL: AMERBELLE 420/420 56/44 NYLON PACKCLOTH IN DARK DULL GREY (MUST MEET THE BURN TEST REQUIREMENTS OF FAR 29.853a2)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) POSSIBLE SUPPLIER: AEROTEX INTERIORS INC.




15083

RELEASED
08-10-10


| | | | |
|------------|----------|--|--------------|
| DESIGN | RF | DART AEROSPACE LTD | |
| DRAWN | RF | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | | DRAWING NO. | REV. B |
| MFG. APPR. | | D3306 | SHEET 2 OF 3 |
| APPROVED | | TITLE | SCALE |
| DE APPR. | | COVER ASSEMBLY | NTS |
| DATE | 08.08.29 | <small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small> | |



D3306-7 TAB



D3306-9 BOTTOM



D3306-11 BOTTOM

D3306-7/-9/-11 NOTES:

- 1) MATERIAL: AMERBELLE 420/420 56/44 NYLON PACKCLOTH IN DARK DULL GREY (MUST MEET THE BURN TEST REQUIREMENTS OF FAR 29.853a2)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) THREAD: MIL-VT-295 TYPE II CLASS A, GREY NYLON THREAD, 4-6 STITCHES PER INCH USE 1/2" MIN BACKSTITCH, NO LOOSE THREADS
- 9) POSSIBLE SUPPLIER: AEROTEX INTERIORS INC.

RELEASED
05-10-10/10

| | | | |
|------------|----------|--|--------------|
| DESIGN | RF | DART AEROSPACE LTD | |
| DRAWN | PA | HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | | DRAWING NO. | REV. B |
| MFG. APPR. | | D3306 | SHEET 3 OF 3 |
| APPROVED | | TITLE | SCALE |
| DE APPR. | | COVER ASSEMBLY | NTS |
| DATE | 08.08.29 | <small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small> | |

1. Organization issuing certificate

Aerotex Interiors Inc.,
24 - 2333 18 Ave NE
Calgary, AB T2E 8T8

CERTIFICATE OF CONFORMANCE

3. Work Order / Contract / Invoice

8301

4. Customer Name

Part Aerospace Ltd
1270 Aberdeen Street
Hawkesbury, Ontario K6A 1K7
Canada

5. Customer Purchase Order

PO15179

6. Item

7. Description

8. Part No./Specification

9. Qty

10. Batch No.

11. Status

| | | | | | |
|---|---|-------------------------|----|------|-----|
| 1 | Amerbelle Nylon Packcloth in Dark Gull Grey | 420/420 56/44 | NA | 5065 | New |
| 2 | Skandia 1" Hook | SBLK1.00H | NA | 5049 | New |
| 3 | Skandia 1" Loop | SBLK1.00L | NA | 5049 | New |
| 4 | Grey Nylon Thread | MIL-VT-295 TYPE II CL A | NA | 4822 | New |

12. Remarks

I certify that the materials supplied for the Purchase Order listed above conform to Aerotex Interiors's material/process specification and are in all respects in conformance with the contract requirements. I further certify that items have been fabricated to established specification to conform with DWG NO. D3306

13. Signature

14. Title

Manager

15. Name

16. Date

Carson Chanthayong

11-10-27

12/05/2001 WED 16:22 FAX 8608714237

Main Office

THE AMERBELLE Corporation

TRAVIS TEXTILES
AMERBELLE 12-4-01
3016DYEING • FINISHING • COATING OF SYNTHETIC AND BLEND FABRICS
104 EAST MAIN STREET, P.O. BOX 150, VERNON, CT 06066-0150, TELEPHONE 860-875-3325, FAX 860-875-2238TEST REPORT
LABORATORY QLL 675

| | | | |
|-------------------|-----------------|-------------------|----------------------------------|
| Customer | TRAVIS TEXTILES | Fabric | 420/420 56/44 NYLON PACKCLOTH |
| Customer Lot No. | 18880 | Specification | MIL-VT-295 Type 2 & FAR 25.853 |
| Amerbelle Lot No. | 60125 | | |
| Color | DARK GULL GREY | | |
| Batch Letter | 33579 | Testing Completed | NOVEMBER 28, 2001 |

| TESTS | RESULT OF SAMPLE UNITS | REQUIREMENTS |
|---|------------------------|-------------------------------|
| Fabric Construction (FTM-5050) | | |
| Ends/inch. | 60 | 60 MIN. |
| Picks/inch. | 45 | 45 MIN. |
| Width, inches (FTM-5020) | 54 1/2" | AS SPECIFIED |
| Weight, (FTM-5041) oz/sq.yd. | AVG. 6.26 | 7.25 MAX. |
| Tensile, Ravel Strip lbs. (FTMS104) | | |
| Warp | AVG. 476 | 325 LBS. MIN. |
| Filling | AVG. 394 | 275 LBS. MIN. |
| Tear, Tongue (ASTM-D2261-83) lbs. | | |
| Warp | AVG. 47 | 20 LBS. MIN. |
| Filling | AVG. 46 | 20 LBS. MIN. |
| Colorfastness to Crocking (FTM-5851) | | |
| Dry | PASS | 3.5 |
| Wet | PASS | 3.5 |
| FAR PAR 25.853 INITIAL REQUIR. | | Average not over 15 seconds |
| Afterflame - Warp, Seconds | PASS | Drippings may not continue to |
| Afterflame - Filling, Seconds | PASS | flame over 15 seconds after |
| Afterflame - Average, Seconds | PASS | fading. |
| FAR PAR 25.8536 INITIAL REQUIR. | | |
| Char Length - Warp, inches | PASS | Average not over 8 inches |
| Char Length - Filling, inches | PASS | |
| Char Length - Average, inches | PASS | |

I certify that the above test results were performed under my supervision in accordance with the specification test requirements and that the reported test results are true, valid and applicable to the samples tested. I further certify that these samples were the only samples tested from the lot of components identified above.

Signed Richard Abella
Richard Abella, Laboratory Manager



SKANDIA

5000 N. Highway 251 • Quetta Junction, IL 61838
815.343.4000 • 815.343.3300 (fax)
www.skandiainc.com

VERTICAL FLAMMABILITY TEST RESULTS

14 CFR Part 25.853 (a) Amend 25-110 Appendix F Part I (a)(1)(ii)

Skandia, Inc. WO # 21378

Client PO

Skandia (Products)

5000 N. Hwy. 251

Doc ID: 1282N-223246

Test Plan #

Rev

Quetta Junction IL 61820 USA

AIRCRAFT OR AIRCRAFT COMPONENT IDENTIFICATION

Make: Stock

Model: N/A

Serial: N/A

Tail: N/A

Conditioning Room Data:

Date In: 06/10/2010 Time In: 10:00

Date Out: 06/14/2010 Time Out: 06:03

SPECIMEN MATERIALS

Skandia, Inc.: 1" Grey SEW Loop Fastener SAGRY1.00L, Lot # 401280-SA

| Set | Flame Application (seconds) | Flame Time (seconds) | Burn Length (inches) | Drip Flame Time (seconds) |
|----------|--------------------------------|-------------------------|-------------------------|------------------------------|
| 1 | 12 | 0.0 | 1.9 | 0.0 |
| 2 | 12 | 0.0 | 1.0 | 0.0 |
| 3 | 12 | 0.0 | 2.3 | 0.0 |
| Average: | | 0.0 | 2.0 | 0.0 |

Vertical (12 second) Burn Test: Average Self-Extinguish time may not exceed 15 seconds.
Average Burn Length may not exceed 8 inches. Average Dripping may not exceed 5 seconds after testing.

Comments:

☒ Passed ☐ Failed

CERTIFICATION: I certify that after testing these specimens, the above results were obtained in accordance with the procedures and equipment specified by Code of Federal Regulations Title 14 Part 25, revised as of January 1, 2004 and the Aircraft Materials Fire test Handbook dated April, 2000.

Dennis J. Parish - FAA DIT

WITNESS

06/14/2010

DATE



SKANDIA

5000 N. Highway 331 • Davis Junction, IL 61029
815.393.4600 • 815.393.3931 (fax)
www.skandiainc.com

VERTICAL FLAMMABILITY TEST RESULTS

14 CFR Part 25.853 (a) Append 25-118 Appendix F Part I (a)(1)(ii)

Skandia (Products)

5000 N. Hwy. 251

Skandia, Inc. WO # 200825-10
Client PO

Doc ID: 12NW-216108

Test Plan #

Rev

Davis Junction IL 61020 USA

AIRCRAFT OR AIRCRAFT COMPONENT IDENTIFICATION

Maine Stock

Model: N/A

Serial: N/A

Test N/A

Conditioning Room Data

Date In: 02/25/2010 Time In: 13:10

Date Out: 02/26/2010 Time Out: 14:45

SPECIMEN MATERIALS

Skandia, Inc. 1 Grey SEW Hook Fastener SAGIRY1.004, Lot #390427-SA

| Set | Flame Application (seconds) | Flame Time (seconds) | Burn Length (inches) | Drip Flame Time (seconds) |
|----------|--------------------------------|-------------------------|-------------------------|------------------------------|
| 1 | 12 | 0.0 | 2.4 | 0.0 |
| 2 | 12 | 0.0 | 2.5 | 0.0 |
| 3 | 12 | 0.0 | 2.1 | 0.0 |
| Average: | | 0.0 | 2.3 | 0.0 |

Vertical (12 second) Burn Test: Average Self-Extinguish time may not exceed 15 seconds.
Average Burn Length may not exceed 8 inches. Average Dripping may not exceed 5 seconds after flaring.

Comments:

CERTIFICATION: I certify that after testing these specimens, the above results were obtained in accordance with the procedures and equipment specified by Code of Federal Regulations Title 14 Part 25, revised as of January 1, 2004 and the Aircraft Materials Fire Test Handbook dated April, 2000.

☒ Passed ☐ Failed

Tony K. Palmer - FAA DER
WITNESS

02/26/2010

Date



241-2388-18 Avenue NE
Calgary, Alberta T2E 8T6
PH: 403-238-8770 FX: 403-313-0793
EM: info@aerotex.ca WS: www.aerotex.ca

Packing Slip

Date Packing Slip #

28/10/2011 8301

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, Ontario K6A 1K7
Canada

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, Ontario K6A 1K7
Canada

613.632.5200

Customer Fax
613.632.1053

Email PURO ACCT 1-7684382

FedEx P1

Courier Acct No.
1517-9324-0

Ship Date

P.O. No.


28/10/2011

PO15179

| Aircraft | Description | Part Number | Qty |
|----------|---|-------------|-----|
| DART | HEAD REST COVER WITH 3 VELCRO CLOSURE AS PER DWG D3306 GST On Sales | D3306-041P | 10 |

Thank you for doing business with Aerotex Interiors!

"Your one stop shop for all your aircraft interior needs"



139110308

www.aerotex.ca



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO15179

Purchase Order Date 10/17/2011

PO Print Date 10/17/2011

Page Number 1 of 1

Order From :

VC-AER003

AEROTEX INTERIORS INC.
#24-2333 18TH AVENUE N. E.
CALGARY, AB T2E 8T6
CA

Contact Name
Vendor Phone 403 295 8770
Vendor Fax 403 313 0793
Vendor Account Nbr

Buyer Brigitte Golden
Requisition Nbr
Tax Resale Nbr 10127-2607
Terms Net 30
Currency CAD
FOB Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

| Line Nbr | Reference Revision ID Vendor Part Number | Description/ Mfg ID | Req Date/ Taxable | Req Qty/ Unit of Measure | Ship Method | Unit Price | Extended Price |
|----------|--|------------------------|----------------------|-----------------------------|-----------------|------------|-------------------|
| 1 | D3306-041P | Cover Assembly | 10/28/2011 Yes | 10.00 Each | FedEx Overnight | \$62.5000 | \$625.00 |

Special Inst: As per DWG: D3306
Rev: B
B75053

PO Total:

\$625.00


CERTIFICATE OF CONFORMITY
REQ'D UPON DELIVERY

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 10/17/2011

| | | | | | | | | |
|--|---|---------------------------|---------|---------------|-----------------------------------|--|--|--|
| 1. Organization issuing certificate. Aerotex Interiors Inc., 24 - 2333 18 Ave NE Calgary, AB T2E 8T6 | | 2. | | | CERTIFICATE OF CONFORMANCE | | 3. Work Order / Contract / Invoice 8301 | |
| 4. Customer Name Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, Ontario K6A 1K7 Canada | | | | | | | 5. Customer Purchase Order PO15179 | |
| 6. Item | 7. Description | 8. Part No./Specification | 9. Qty. | 10. Batch No. | 11. Status | | | |
| 1 | Amerbelle Nylon Packcloth in Dark Gull Grey | 420/420 56/44 | NA | 5065 | New | | | |
| 2 | Skandia 1" Hook | SBLK1.00H | NA | 5049 | New | | | |
| 3 | Skandia 1" Loop | SBLK1.00L | NA | 5049 | New | | | |
| 4 | Grey Nylon Thread | MIL-VT-295 TYPE II CL A | NA | 4822 | New | | | |
| 12. Remarks I certify that the materials supplied for the Purchase Order listed above conform to Aerotex Interiors's material/process specification and are in all respects in conformance with the contract requirements. I further certify that items have been fabricated to established specification to confirm with DWG NO. D3306 | | | | | | | | |
| 13. Signature  | | 14. Title Manager | | | | | | |
| 15. Name Carson Chanthayvong | | 16. Date 11-10-27 | | | | | | |